

Designations		Dimensions (mm)			Basic load ratings KN		Speed ratings rpm		Weight
Cylindrical Bore	Taper Bore	d	D	B	dyc Cr	stc Cor	Speed Ratings	Limiting Speed	Kg
22206MB	22206MBK	30	62	20	51.7	55	6800	9100	0.294
22207MB	22207MBK	35	72	23	67	73.9	5900	7800	0.447
22208MB	22208MBK	40	80	23	76.9	85	5200	6900	0.536
22308MB	22308MBK	40	90	33	115	127	4000	5300	1.03
22209MB	22209MBK	45	85	23	80.5	91.9	4900	6500	0.597
22309MB	22309MBK	50	100	36	146	168	3600	4800	1.43
22210MB	22210MBK	50	90	23	83.1	97.8	4500	6000	0.641
22310MB	22310MBK	50	110	40	181	208	3200	4300	1.87
22211MB	22211MBK	55	100	25	102	119	4100	5400	0.849
22311MB	22311MBK	55	120	43	213	248	3000	3900	2.43
22212MB	22212MBK	60	110	28	127	154	3700	4900	1.2
22312MB	22312MBK	60	130	46	243	284	2700	3600	3.01
22213MB	22213MBK	65	120	31	151	188	3400	4600	1.61
22313MB	22313MBK	65	140	48	251	291	2500	3400	3.53
22214MB	22214MBK	70	125	31	155	193	3200	4300	1.68
22314MB	22314MBK	70	150	51	300	362	2400	3100	4.37
22215MB	22215MBK	75	130	31	161	204	3100	4100	1.77
22315MB	22315MBK	75	160	55	351	437	2200	2900	5.5
22216MB	22216MBK	80	140	33	174	225	2900	3800	2.2
22316MB	22316MBK	80	170	58	395	496	2100	2800	6.54
22217MB	22217MBK	85	150	36	216	277	2700	3600	2.73
22317MB	22317MBK	85	180	60	431	539	2000	2600	7.42
23218MB	23218MBK	90	160	52.4	316	453	1600	2200	4.64
22318MB	22318MBK	90	190	64	486	623	1900	2500	8.87
22219MB	22219MBK	95	170	43	273	359	2400	3200	4.32
22319MB	22319MBK	95	200	67	534	686	1800	2300	10.4
23120MB	23120MBK	100	165	52	326	490	1700	2200	4.39
22220MB	22220MBK	100	180	46	317	423	2200	3000	5.1

23220MB	23220MBK	100	180	60.3	405	589	1500	1900	6.81
22320MB	22320MBK	100	215	73	613	799	1600	2200	13.3
23022MB	23022MBK	110	170	45	304	489	1900	2500	3.79
23122MB	23122MBK	110	180	56	382	596	1500	2000	5.72
22222MB	22222MBK	110	200	53	414	574	2000	2700	7.69
22322MB	22322MBK	110	240	80	724	915	1500	2000	18.3
23222MB	23222MBK	110	200	69.8	528	786	1300	1800	9.79
23024MB	23024MBK	120	180	46	317	514	1700	2300	4.1
23124MB	23124MBK	120	200	62	468	726	1400	1900	8.01
22224MB	22224MBK	120	215	58	488	666	1900	2500	9.06
23224MB	23224MBK	120	215	76	592	904	1200	1600	12.1
22324MB	22324MBK	120	260	86	848	1130	1400	1800	23.4
23026MB	23026MBK	130	200	52	401	660	1600	2100	6.02
23126MB	23126MBK	130	210	64	512	798	1300	1800	8.75
22226MB	22226MBK	130	230	64	579	804	1800	2300	11.2
23226MB	23226MBK	130	230	80	670	1020	1100	1500	14.3
22326MB	22326MBK	130	280	93	978	1320	1300	1700	28.5
23028MB	23028MBK	140	210	53	415	689	1500	2000	6.43
23128MB	23128MBK	140	225	68	546	876	1200	1600	10.7
22228MB	22228MBK	140	250	68	656	920	1600	2200	14.3
23228MB	23228MBK	140	250	88	818	1230	1000	1400	18.9
22328MB	22328MBK	140	300	102	1140	1550	1200	1600	35.9
23030MB	23030MBK	150	225	56	467	789	1400	1900	7.81
23130MB	23130MBK	150	250	80	716	1150	1100	1500	16.2
22230MB	22230MBK	150	270	73	750	1060	1500	2000	18.1
23230MB	23230MBK	150	270	96	925	1450	980	1300	24.3
22330MB	22330MB	150	320	108	1270	1750	1100	1500	43.7
23032MB	23032MBK	160	240	60	538	917	1300	1700	9.56
23132MB	23132MBK	160	270	86	841	1370	1000	1400	20.8
22232MB	22232MBK	160	290	80	879	1220	1400	1900	22.8
23232MB	23232MBK	160	290	104	1050	1670	910	1200	30.6
22332MB	22332MBK	160	340	114	1350	1860	1000	1400	51.9
23034MB	23034MBK	170	260	67	652	1110	1200	1600	13
23134MB	23134MBK	170	280	88	887	1490	990	1300	22.2
22234MB	22234MBK	170	310	86	983	1380	1300	1800	29.2
23234MB	23234MBK	170	310	110	1230	1970	840	1100	37.4

22334MB	22334MBK	170	360	120	1500	2090	980	1300	61
23036MB	23036MBK	180	280	74	702	1170	1100	1500	17.3
23136MB	23136MBK	180	300	96	999	1650	930	1200	28
22236MB	22236MBK	180	320	86	1040	1490	1300	1700	30
23236MB	23236MBK	180	320	112	1270	2050	820	1100	39.5
22336MB	22336MBK	180	380	126	1640	2290	930	1200	71.4
23038MB	23038MBK	190	290	75	781	1360	1100	1400	18.2
23138MB	23138MBK	190	320	104	1170	1960	870	1200	34.9
22238MB	22238MBK	190	340	92	1150	1700	1200	1600	37.3
23238MB	23238MBK	190	340	120	1420	2340	760	1000	48
23040MB	23040MBK	200	310	82	867	1470	1000	1400	23.3
23140MB	23140MBK	200	340	112	1370	2310	830	1100	43.1
22240MB	22240MBK	200	360	98	1290	1910	1100	1500	43.2
23240MB	23240MBK	200	360	128	1580	2620	730	970	57.8
22340MB	22340MBK	200	420	138	1990	2800	840	1100	95.2
23044MB	23044MBK	220	340	90	1030	1790	930	1200	31
23144MB	23144MBK	220	370	120	1500	2570	760	1000	54.1
22244MB	22244MBK	220	400	108	1560	2260	1000	1400	59.5
23244MB	23244MBK	220	400	144	1960	3270	660	880	81.5
23048MB	23048MBK	240	360	92	1130	2080	870	1200	34.3
23148MB	23148MBK	240	400	128	1680	3060	700	930	66.3
22248MB	22248MBK	240	440	120	1970	2870	750	950	80.7